

Stone blades for re-tipping



Stepped Segments

Three or four stepped segments

Diameter	Segment Size
900 - 2700 mm	24x6.5-12x14-18 mm


* Segments for all diameters available

Stepped Segments

24 mm long 3 steps : 14 mm height 4 steps : 18 mm height

Gang saw segments

Segment size : 24 mm long x 5.0-5.5 mm x 12(15) mm H



Silent Blades

Smooth and fast cutting for all kind of granite and hard natural stones.

* Low noise sandwich cores



Part No.	Diameter	Thickness of Segment
SB350G	350 mm (14")	3.6 mm
SB400G	400 mm (16")	3.6 mm
SB450G	450 mm (18")	3.6 mm
SB500G	500 mm (20")	3.8 - 4.0 mm

* 15 & 20 mm segments height




Prestressed concrete blades

Prestressed Segments

Fast cutting and longer lifetime for prestressed concrete panels.

Diameter	Segment Size
1100 - 1200 mm	40 x 6.5-9 x 15 mm

* Other diameter of segments available



Wall saw segments



Wall Saw Blades

Very fast and longer lifetime for all kind of concrete (reinforced).

Diameter			Segment Size
R300	R500	R750	40 x 4.5 x 12 mm

* Other segments available



YE SUNG www.yesungdia.com
info@yesungdia.com